

# Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

BLUE CUBE MEXICO S. DE R.L. DE C.V. encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Sodium Hydroxide Solution 30 - 54%

Manufacturer or supplier's details

Company name of supplier : BLUE CUBE MEXICO S. DE R.L. DE C.V.

Address : AV PASEO DE LA REFORMA NO. 243

FLOOR 18TH, COLONIA CUAUHTEMOC

CIUDAD DE MEXICO DIF 06500

Telephone : (844) 238-3445 E-mail address : INFO@OLIN.COM

24-Hour Emergency Contact : +52 5511 678 215 Local Emergency Contact : +52 5511 678 215

Recommended use of the chemical and restrictions on use

Identified uses : Pulp and paper industry (pulping and bleaching, de-inking

waste paper, water treatment).

Textile industry (fiber processing and dyeing).

Soaps and detergents industry (saponification of fats and oils,

anionic surfactant manufacturing).

Bleach manufacturing.

Petroleum exploration and processing.

Aluminum production. Chemical processing. Waste neutralization. Acid gas scrubbing.

Neutralizing of acids and acid gases.

Recommended use : For industrial use.

## **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Corrosive to Metals : Category 1

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Sub-category 1B

Serious eye damage/eye

irritation

Category 1

#### **GHS** label elements



# **Sodium Hydroxide Solution 30 - 54%**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

Hazard pictograms





Signal Word : Danger

Hazard Statements : H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

P234 Keep only in original container. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce verifing.

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Imme-

diately call a POISON CENTER or doctor/ physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

Substance name : Sodium Hydroxide

CAS-No. : 1310-73-2

Components



# **Sodium Hydroxide Solution 30 - 54%**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

Chemical name	CAS-No.	Concentration (% w/w)
Sodium hydroxide	1310-73-2	>= 30 -<= 54
Water	7732-18-5	>= 46 -<= 70

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	Move person to fresh air; if effects occur, consult a physician.
In case of skin contact	:	Immediate continued and thorough washing in flowing water for at least 20 minutes is imperative while removing contaminated clothing. Prompt medical consultation is essential. Wash clothing before reuse. Properly dispose of leather items such as shoes, belts, and watchbands. Suitable emergency safety shower facility should be immediately available.
In case of eye contact	:	Washing with water or saline is the only acceptable method of removal of caustic soda (lye) from the eyes and skin. You may have 10 seconds or less to avoid serious permanent injury. Eyes should be washed for a minimum of 20 minutes, preferably until seen by a medical professional, do not forget to remove contact lenses. The eyes should be tested for pH until neutral.  Suitable emergency eye wash facility should be immediately
		available.
If swallowed	:	Do not induce vomiting. Give one cup (8 ounces or 240 ml) of water or milk if available and transport to a medical facility. Do not give anything by mouth unless the person is fully conscious.
Most important symptoms and effects, both acute and delayed Protection of first-aiders	:	Aside from the information found under Description of first aid measures (above), any additional important symptoms and effects are described in Section 11: Toxicology Information. First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment

Notes to physician

personal protective equipment.

Eye irrigation may be necessary for an extended period of time to remove as much caustic as possible. Duration of irrigation and treatment is at the discretion of medical personnel. Due to irritant properties, swallowing may result in burns/ulceration of mouth, stomach and lower gastrointestinal tract with subsequent stricture. Aspiration of vomitus may cause lung injury. Suggest endotracheal/esophageal control if lavage is done.

If burn is present, treat as any thermal burn, after decontami-

nation.

No specific antidote.

Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : This material does not burn. If exposed to fire from another

source, use suitable extinguishing agent for that fire.



# Sodium Hydroxide Solution 30 - 54%

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

Unsuitable extinguishing

media

Do not use water.

Specific hazards during fire

fighting

Product reacts with water. Reaction may produce heat and/or

gases

This reaction may be violent.

Violent steam generation or eruption may occur upon applica-

tion of direct water stream to hot liquids.

Hazardous combustion prod: :

ucts

Not applicable

Specific extinguishing meth-

ods

Keep people away. Isolate fire and deny unnecessary entry. Water is not recommended, but may be applied in large quan-

tities as a fine spray when other extinguishing agents are not

available.

This material does not burn. Fight fire for other material that is

burning.

Special protective equipment :

for fire-fighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire

fighting helmet, coat, trousers, boots, and gloves).

Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote

location.

For protective equipment in post-fire or non-fire clean-up sit-

uations, refer to the relevant sections.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Evacuate area.

Only trained and properly protected personnel must be in-

volved in clean-up operations.

Refer to section 7, Handling, for additional precautionary

measures.

Keep upwind of spill.

Ventilate area of leak or spill.

See Section 10 for more specific information.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Keep away from sources of ignition.

Environmental precautions : Prevent from entering into soil, ditches, sewers, waterways

and/or groundwater. See Section 12, Ecological Information.

Methods and materials for

containment and cleaning up

Contain spilled material if possible.

Small spills:

Dilute with water.

Large spills:



# Sodium Hydroxide Solution 30 - 54%

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

Dike area to contain spill.

Collect in suitable and properly labeled containers. Attempt to neutralize by adding materials such as

Acetic acid

See Section 13, Disposal Considerations, for additional infor-

mation.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Do not get in eyes, on skin, on clothing.

Do not swallow. Avoid breathing mist.

Wash thoroughly after handling.

Keep container closed.

Use with adequate ventilation.

ALWAYS add caustic soda solution to water with constant agitation. NEVER add water to the caustic soda solution.

2. The water should be lukewarm (27-38°C or 80-100°F).

NEVER start with hot or cold water. The addition of caustic soda to liquid will cause a rise in temperature. If caustic soda becomes concentrated in one area, is added too rapidly, or is added to hot or cold liquid, a rapid temperature increase can result in DANGEROUS mists, boiling or spattering which may

cause an immediate VIOLENT ERUPTION.

See Section 8, EXPOSURE CONTROLS AND PERSONAL

PROTECTION.

Conditions for safe storage : Keep container closed.

Do not store in:

Zinc. Aluminum. Brass. Tin.

See Section 10 for more specific information.

Recommended storage tem-

perature

> 16 °C

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	VLE-P	2 mg/m3	NOM-010- STPS-2014
		С	2 mg/m3	ACGIH

Engineering measures : Use engineering controls to maintain airborne level below

exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or

guidelines, use only with adequate ventilation.

Local exhaust ventilation may be necessary for some opera-

tions.

#### Personal protective equipment



# Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

Respiratory protection Respiratory protection should be worn when there is a poten-

> tial to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator.

The following should be effective types of air-purifying respi-Filter type

rators: Particulate filter.

Hand protection

Protective equipment only chosen according to specific regu-Material

latory requirements after a risk assessment.

Material butyl-rubber

Material Nitrile rubber

Material Neoprene

Material **Viton®** 

Material **PVC** 

Remarks NOTICE: The selection of a specific glove for a particular

> application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove

Additional materials may be available, review glove manufac-

turers specifications for suitability.

Eve protection Use chemical goggles.

Skin and body protection Use protective clothing chemically resistant to this material.

Selection of specific items such as face shield, boots, apron,

or full body suit will depend on the task.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Liquid above freezing point **Appearance** 

Color Colorless

Odor Odorless

Odor Threshold No test data available

pΗ

Method: Literature

Boiling point/boiling range Boiling point varies by dilution/concentration.

Flash point Method: Literature



# **Sodium Hydroxide Solution 30 - 54%**

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

None

Evaporation rate : No test data available

Flammability (solid, gas) : No

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure : 23.67 mmHg (25 °C)

Method: Literature

Relative vapor density : Not applicable

Relative density : 1.353 - 1.528 (20 °C)

Method: Literature

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

: No data available.

Autoignition temperature : Not applicable

Decomposition temperature : No test data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Method: No information available.

Explosive properties : No

Oxidizing properties : No

Molecular weight : No test data available

Note: These are the Reference Points for these Physical Properties listed above, unless otherwise noted in their respective Physical Property value information: Boiling Point at 760 mmHg; Evaporation Rate Butyl Acetate = 1; Relative Vapor Density Air = 1; and Relative Density Water = 1.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No specific data available.

Chemical stability : Stable under recommended storage conditions. See Storage,

Section 7.

Possibility of hazardous reac- :

tions

Polymerization will not occur.



# Sodium Hydroxide Solution 30 - 54%

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

Conditions to avoid : Avoid moisture.

Product absorbs carbon dioxide from the air.

Incompatible materials : Heat is generated when mixed with water. Spattering and

boiling can occur.

Caustic soda solution reacts readily with various reducing sugars (i.e. fructose, galactose, maltose, dry whey solids) to produce CO. Take precautions including monitoring the tank atmosphere for CO to ensure safety of personnel before ves-

sel entry.

Avoid contact with:

Acids. Glycols.

Halogenated organics.
Organic nitro compounds.

Flammable hydrogen may be generated from contact with

metals such as:

Zinc. Aluminum. Tin. Brass.

Hazardous decomposition

products

Does not decompose.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Moderate toxicity if swallowed.

Swallowing may result in burns of the mouth and throat. Swallowing may result in gastrointestinal irritation or ulcera-

tion.

Remarks: Single dose oral LD50 has not been determined.

Acute inhalation toxicity : Remarks: Mist may cause severe irritation of upper respiratory

tract (nose and throat).

Remarks: As product:

The LC50 has not been determined.

Acute dermal toxicity : Remarks: Prolonged skin contact is unlikely to result in ab-

sorption of harmful amounts.

Remarks: The dermal LD50 has not been determined.

**Components:** 

Sodium hydroxide:

Acute oral toxicity : LD50 (Rabbit): 336 mg/kg

Method: Estimated.

Acute inhalation toxicity : Remarks: The LC50 has not been determined.



# **Sodium Hydroxide Solution 30 - 54%**

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

Acute dermal toxicity : Remarks: The dermal LD50 has not been determined.

Skin corrosion/irritation

**Product:** 

Result : Causes burns.

Remarks : Brief contact may cause skin burns. Symptoms may include

pain, severe local redness and tissue damage.

**Components:** 

Sodium hydroxide:

Result : Causes severe burns.

Remarks : Brief contact may cause severe skin burns. Symptoms may

include pain, severe local redness and tissue damage.

Serious eye damage/eye irritation

**Product:** 

Remarks : Due to the pH of the material, it is assumed that exposure

may cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness.

Mist may cause eye irritation.

**Components:** 

Sodium hydroxide:

Result : Corrosive

Remarks : May cause severe irritation with corneal injury which may re-

sult in permanent impairment of vision, even blindness. Chem-

ical burns may occur. Dust may irritate eyes.

Respiratory or skin sensitization

**Product:** 

Remarks : For skin sensitization:

No relevant data found.

Remarks : For respiratory sensitization:

No relevant data found.

**Components:** 

Sodium hydroxide:

Assessment : Does not cause skin sensitization.

Remarks : Did not cause allergic skin reactions when tested in humans.

Remarks : For respiratory sensitization:

No relevant data found.



# **Sodium Hydroxide Solution 30 - 54%**

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: For the major component(s):

In vitro genetic toxicity studies were negative.

**Components:** 

Sodium hydroxide:

Genotoxicity in vitro : Remarks: In vitro genetic toxicity studies were negative.

Carcinogenicity

**Product:** 

Remarks : No relevant data found.

**Components:** 

Sodium hydroxide:

Remarks : No relevant data found.

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

**Components:** 

Sodium hydroxide:

Effects on fertility : Remarks: No relevant data found.

Effects on fetal development : Remarks: No relevant data found.

STOT-single exposure

**Product:** 

Assessment : Material is corrosive. Material is not classified as a respiratory

irritant; however, upper respiratory tract irritation or corrosivity

may be expected.

**Components:** 

Sodium hydroxide:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

Repeated dose toxicity

**Product:** 



# **Sodium Hydroxide Solution 30 - 54%**

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

Remarks : Based on available data, repeated exposures are not antici-

pated to cause additional significant adverse effects.

**Components:** 

Sodium hydroxide:

Remarks : Based on available data, repeated exposures are not antici-

pated to cause additional significant adverse effects.

**Aspiration toxicity** 

**Product:** 

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung  $\dot{}$ 

injury.

**Components:** 

Sodium hydroxide:

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

Sodium hydroxide:

Toxicity to fish : Remarks: May increase pH of aquatic systems to > pH 10

which may be toxic to aquatic organisms.

Persistence and degradability

**Components:** 

Sodium hydroxide:

Biodegradability : Remarks: Biodegradability is not applicable to inorganic sub-

stances.

Bioaccumulative potential

**Components:** 

Sodium hydroxide:

Partition coefficient: n-

octanol/water

Remarks: No bioconcentration is expected because of the

relatively high water solubility.



# Sodium Hydroxide Solution 30 - 54%

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

Mobility in soil

**Components:** 

Sodium hydroxide:

Distribution among environ-

mental compartments

Koc: 14 Method: Estimated.

Remarks: Potential for mobility in soil is very high (Koc be-

tween 0 and 50).

Other adverse effects

**Components:** 

Sodium hydroxide:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE

MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS

MATERIAL.

THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED

CONDITION AS DESCRIBED IN MSDS SECTION: Composi-

tion Information.

All disposal practices must be in compliance with all Federal,

State/Provincial and local laws and regulations. Regulations may vary in different locations.

Waste characterizations and compliance with applicable laws

are the responsibility solely of the waste generator.

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND,

OR INTO ANY BODY OF WATER.

Empty containers should be recycled or otherwise disposed of by an approved waste management facility. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. Do not re-use containers

for any purpose.

## **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

UN number : UN 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8



# Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

Environmentally hazardous : no

**IATA-DGR** 

UN/ID No. : UN 1824

Proper shipping name : Sodium hydroxide solution

Class : 8 Packing group : II

Labels : Corrosive Packing instruction (cargo : 855

aircraft)

Packing instruction (passen: 851

ger aircraft)

**IMDG-Code** 

UN number : UN 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B

Marine pollutant : no

Remarks : Stowage category AAlkalis

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

NOM-002-SCT

UN number : UN 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable

essential chemical products and machinery for produc-

ing capsules, tablets and pills.

International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable



# **Sodium Hydroxide Solution 30 - 54%**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

The ingredients of this product are reported in the following inventories:

TCSI : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

TSCA : All substances listed as active on the TSCA Inventory or are

not required to be listed.

AIIC : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

DSL : All substances contained in this product are listed on the Ca-

nadian Domestic Substances List (DSL) or are not required to

be listed.

ENCS : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

ISHL : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

KECI : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

PICCS : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

IECSC : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

NZIoC : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

CH INV : All intentional components are listed on the inventory, are

exempt, or are supplier certified.

TECI: All intentional components are listed on the inventory, are

exempt, or are supplier certified.

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 01/28/2025 Date format : mm/dd/yyyy

**Further information** 




# **Sodium Hydroxide Solution 30 - 54%**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01/10/2024

 6.0
 01/28/2025
 10000001221
 Date of first issue: 05/30/2018

#### NFPA 704:



Special hazard

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / C : Ceiling limit NOM-010-STPS-2014 / VLE- : Ceiling value

Þ

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-



# Sodium Hydroxide Solution 30 - 54%

Version Revision Date: SDS Number: Date of last issue: 01/10/2024 6.0 01/28/2025 10000001221 Date of first issue: 05/30/2018

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

BLUE CUBE MEXICO S. DE R.L. DE C.V. urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given.Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

MX / EN